

L Number	Hits	Search Text	DB	Time stamp
	41627	pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 11:58
	4414	(pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3 (chamber cavity volume bore housing).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 09:09
	4427	(pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3 (chamber cavity volume bore housing).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 12:03
	2070	((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3 (chamber cavity volume bore housing).clm.) and valve.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 12:05
	37	(((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3 (chamber cavity volume bore housing).clm.) and valve.clm.) and (piston cylinder).clm.) and fitting.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 12:07
	177	(((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3 (chamber cavity volume bore housing).clm.) and valve.clm.) and (piston cylinder).clm.) and variable.near3 volume	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 12:09
	147	(((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3 (chamber cavity volume bore housing).clm.) and valve.clm.) and (piston cylinder).clm.) and variable.near3 volume.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 12:09
	558	(((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3 (chamber cavity volume bore housing).clm.) and valve.clm.) and (piston cylinder).clm.) and (second double couple pair two series array) near4 pressure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 12:11
	63	((((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3 (chamber cavity volume bore housing).clm.) and valve.clm.) and (piston cylinder).clm.) and (second double couple pair two series array) near4 pressure) and compar\$4.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 12:44
	75	((((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3 (chamber cavity volume bore housing).clm.) and valve.clm.) and (piston cylinder).clm.) and (second double couple pair two series array) near4 pressure) and compar\$4.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 11:27
	19	((((((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3 (chamber cavity volume bore housing).clm.) and valve.clm.) and (piston cylinder).clm.) and (second double couple pair two series array) near4 pressure) and compar\$4.clm.) and fitting	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 08:25

	19	(((((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3 (chamber cavity volume bore housing).clm.) and valve.clm.) and (piston cylinder).clm.) and (second double couple pair two series array) near4 pressure) and compar\$4.clm.) and fitting	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 09:05
	1	thermodynamic near3 pressure near3 temperature near3 (sens\$4 detect\$4 measur\$4 transducer gauge evaluat\$4 estimat\$4 identif\$4 indicat\$4).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 09:08
	22	thermodynamic near3 pressure near3 temperature near3 (sens\$4 detect\$4 measur\$4 transducer gauge evaluat\$4 estimat\$4 identif\$4 indicat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 09:09
	7	(thermodynamic near3 pressure near3 temperature near3 (sens\$4 detect\$4 measur\$4 transducer gauge evaluat\$4 estimat\$4 identif\$4 indicat\$4)) and (variabl\$3 change\$4 exten\$4) near3 (chamber cavity volume bore housing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 09:11
	358	((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3 (chamber cavity volume bore housing).clm.) and valve.clm.) and (piston and cylinder).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 10:13
	45	((((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3 (chamber cavity volume bore housing).clm.) and valve.clm.) and (piston and cylinder).clm.) and magnet\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 10:42
	12	((((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3 (chamber cavity volume bore housing).clm.) and valve.clm.) and (piston and cylinder).clm.) and magnet\$3 and remot\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 08:30
	4	((((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and (variabl\$3 change\$4 exten\$4) near3 (chamber cavity volume bore housing).clm.) and valve.clm.) and (piston and cylinder).clm.) and magnet\$3 and remot\$5) and remot\$4 near3 valve	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 10:50
	42149	pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 11:30
	0	((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and (two many several plurality array multiple) near2 pressure near3 (compar\$4 contrast\$3 collat\$4).clm.) and fitting.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 11:32
	4	((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and (two many several plurality array multiple) near2 pressure near3 (compar\$4 contrast\$3 collat\$4).clm.) and fitting	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 08:52
	21	((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and (two many several plurality array multiple) near2 pressure near3 (compar\$4 contrast\$3 collat\$4).clm.) and (linearity sensitivity repeatability hysteresis)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 11:48

	1	((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and (two many several plurality array multiple) near2 pressure near3 (compar\$4 contrast\$3 collat\$4).clm.) and (linearity and sensitivity and repeatability and hysteresis)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 11:50
	3	((pressure near3 (sens\$4 measur\$4 test monitor\$4 indicat\$4 identif\$4 evaluat\$4 transducer gauge comput\$4).clm.) and (two many several plurality array multiple) near2 pressure near3 (compar\$4 contrast\$3 collat\$4).clm.) and (linearity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 11:50
2527	1	("4665753").PN. (piston hydraulic plunger) near3 (variable many several different) near3 volume	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/23 12:50 2003/09/06 07:25
	695	(piston hydraulic plunger) near3 (variable many several different) near3 volume.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 08:55
	490	((piston hydraulic plunger) near3 (variable many several different) near3 volume) and pressure near3 (sens\$4 measur\$4 identif\$4 test monitor indicat\$4 estimat\$4 evaluat\$4 transducer gauge)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 08:58
	151	((piston hydraulic plunger) near3 (variable many several different) near3 volume) and pressure near3 (sens\$4 measur\$4 identif\$4 test monitor indicat\$4 estimat\$4 evaluat\$4 transducer gauge).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 08:59
	24	((piston hydraulic plunger) near3 (variable many several different) near3 volume) and pressure near3 (sens\$4 measur\$4 identif\$4 test monitor indicat\$4 estimat\$4 evaluat\$4 transducer gauge).clm.) and (two couple) near3 volume	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 09:07
	4	((((piston hydraulic plunger) near3 (variable many several different) near3 volume) and pressure near3 (sens\$4 measur\$4 identif\$4 test monitor indicat\$4 estimat\$4 evaluat\$4 transducer gauge).clm.) and (two couple) near3 volume) and valve) and fitting	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 09:07
	24	((((piston hydraulic plunger) near3 (variable many several different) near3 volume) and pressure near3 (sens\$4 measur\$4 identif\$4 test monitor indicat\$4 estimat\$4 evaluat\$4 transducer gauge).clm.) and (two couple) near3 volume) and valve	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 11:44
	2	("6408690" or ("6501372")).PN.	USPAT	2003/05/22 11:45
	2	("5747674").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/26 15:55
	29	(piston hydraulic plunger) near3 (variable many several different) near3 internal near3 volume	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/06 07:41
	0	(piston hydraulic plunger) near3 (variable many several different) near3 internal near3 volume and 73/708.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/06 07:42